

Test Report No. CANEC2227657305 Date: 30 May 2023 Page 1 of 4

Client Name: 3M MATERIAL TECHNOLOGY (GUANGZHOU) CO.,LTD.

Client Address: NO.9, NANXIANG 2 ROAD, SCIENCE CITY GUANGZHOU HIGH TECH INDUSTRY

DEVELOPMENT DISTRICT

CHINA

Sample Name : 9495LE Model No. : 9495LE

Client Ref. Info.: 93005LE, 93010LE, 93015LE, 93020LE, 93027LE, 9495LE, 9475LE, 9475LE,

9495LE, 8132LE, 8153LE, 9453LE, 9471LE, 9472LE, 9653LE, 9671LE, 9672LE,

9698LE, 9471FL

The above sample(s) and information were provided by the client.

This report is to supersede test report CANEC2227657302

SGS Job No.: CP22-068347 - GZ

Date of Sample Received: 23 Dec 2022

Testing Period : 23 Dec 2022 - 28 Dec 2022

Test Requested: Selected test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Zm guan

Approved Signatory

Zuguan





Test Report

No. CANEC2227657305

Date: 30 May 2023

Page 2 of 4

Test Result(s):

Test Part Description:

Specimen No. SGS Sample ID Description

SN1 CAN22-276573.001 Colorless transparent double-side adhesive sheet

Remarks:

(1) 1 mg/kg = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

<u>Halogen</u>

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	164
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

This report updates Client Ref. Info..

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.





Test Report


No. CANEC2227657305

Page 3 of 4

Date: 30 May 2023

ATTACHMENTS

Halogen Testing Flow Chart







Test Report

No. CANEC2227657305

Page 4 of 4

Date: 30 May 2023

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

